

أكاديمية أجيال المستقبل

مرخصة من قبل دولة الإمارات العربية المتحدة



2024 BIOLOGY

Grade 11 Advance


Dr. Mohamed Mostafa

Unit 2

Lesson 1 Mendelian genetics:

- ✓ **Traits:** is the physical characteristics (سمه او صفه) ex. Color of eye
- ✓ **Phenotype:** an individual's observable traits.
- ✓ **Inheritance (heredity):** The passing of traits to the next generation
- ✓ **Genetics:** The study of how traits are passed from parent's offspring
- ✓ Mendel is known as the father of genetics
- ✓ One trait Mendel noticed was seed color.

- Mendel cross-bred the green pea and yellow pea seed plants.



Observation:


- ❖ In Mendel's peas, the green-seed trait disappeared in the F₁ generation, but reappeared in the F₂ generation.
- ❖ The F₂ generation showed a 3:1 ratio of yellow: green seeds

Conclusion:

Mendel concluded that there must be two forms of **traits** in the pea plants

Allele: is an alternative form of a single gene.

Example: The gene for **yellow seeds** and the gene for **green seeds** are different alleles for the same gene.



Dominance: is the phenomenon of one variant (allele) of a gene on a chromosome masking or overriding the effect

The dominant allele is represented by a capital letter (Y)


Recessive: a trait that tends to be masked by other inherited traits

A recessive allele is represented with a lower case letter (y)

- In Mendel's cross, yellow seeds were dominant to green seeds.

In F₁,

- Dominant alleles controlled the traits that appeared in the F₁ generation.
- Recessive alleles were masked in the F₁ generation.




Homozygous: An organism with two of the same alleles for a particular trait (YY or yy)

Heterozygous: An organism with two different alleles for a particular trait (Yy).

- Dominant can be both homozygous or Heterozygous
- Recessive is only homozygous


Genotype: An organism's allele pairs

Phenotype: The observable characteristic or outward expression of an allele pair





Mendel's Law of Segregation

- The law of segregation states that the two alleles for each trait separate during meiosis (gamete formation).
- During fertilization, two alleles for that trait unite.
- Hybrids: Heterozygous organisms




Mendel's Law of Independent Assortment

- The law of independent assortment states that random distribution of alleles occurs during gamete formation.
- Genes on separate chromosomes sort independently during meiosis.
- Each allele combination is equally likely to occur



Monohybrid cross & dihybrid cross

1) Monohybrid cross: A cross that involves hybrids for a single trait.



Monohybrid Cross

Allele:

B = blue (dominant)



b = white (recessive)

Genotype:

BB = blue flower

Bb = blue flower

bb = white flower



- In F₁, 100% dominant & the recessive allele disappeared
- In F₂ generation showed a 3:1 ratio of dominant: recessive

2) Dihybrid Cross: The inheritance of two or more traits in the same plant


Dihybrid Cross

Seed Shape	Seed Color
R = round  r = wrinkled 	Y = yellow  y = green 

Cross Fertilization

Fusion of gametes from different individuals of the same species

Parental Generation



Self Fertilization

Fusion of gametes from the same individual


F₂ Generation

Round Yellow (RrYy)

	RY	Ry	rY	ry
RY	RRYY	RRYy	RrYY	RrYy
Ry	RRYy	RRyy	RrYy	Rryy
rY	RrYY	RrYy	rrYY	rrYy
ry	RrYy	Rryy	rrYy	rryy

Phenotypic Ratio

- Round/Yellow: 9
- Wrinkled/Yellow: 3
- Round/Green: 3
- Wrinkled/Green: 1



Type	Genotype	Phenotype	Number	Phenotypic ratio
Parental	Y_R_	yellow round	315/556	9:16
Recombinant	yyR_	green round	108/556	3:16
Recombinant	Y_rr	yellow wrinkled	101/556	3:16
Parental	yyrr	green wrinkled	32/556	1:16


Four types of alleles from the male gametes and four types of alleles from the female gametes can be produced.

The resulting phenotypic ratio is 9:3:3:1

Lesson 2:


Genetic recombination

- ❖ **Genetic recombination:** the new combination of genes produced by crossing over and independent assortment




❖ Gene Linkage

- Genes located close to each other on the same chromosome are said to be linked.



- They usually travel together during gamete formation.
- Gene linkage results in an exception to Mendel's law of independent assortment.




Gene linkage: Two different genes situated close together on the same chromosome tend to be inherited together.



❖ **Crossing over occurs more frequently between genes that are farther apart.**


❖ Cross-over data can be used to create chromosome maps

❖ **Chromosome maps:** depictions of how genes are arranged on a chromosome



Polyploidy

- ✓ Polyploidy is the occurrence of one or more extra sets of all chromosomes in an organism.
- ✓ A triploid organism is designated $3n$: which means that it has three complete sets of chromosomes.
- ✓ Many agricultural crops are polyploidy.
- ✓ Example: wheat ($6n$), oats ($6n$), and sugar cane ($8n$)
- ✓ Polyploidy plants often have increased vigor and size



A housefly has six pairs of chromosomes. If two houseflies are crossed, how many possible types of fertilized eggs could result from the random lining up of the pairs?

Answer:

Since there are 6 pairs of chromosomes, there are 2^6 possible combinations for the chromosomes to line up. $2^6 = 64$

So, there are 64 possible types of fertilized eggs that could result from the random lining up of the pairs

$$64 \times 64 = 4096$$


اجيال المستقبل

Mrs. AYA 050 717 5602

Lesson 3

Applied genetics

Selective breeding: The process by which desired traits of certain plants and animals are selected and passed on to their future generations.




Selective breeding include

- 1) Hybridization
- 2) Inbreeding

1) Hybridization

Hybridization: The process of creating hybrids.

A hybrid occurs by crossing parent organisms with different forms of a trait to produce offspring with specific traits.




Disadvantages of hybridization include expense and length of time needed.

Advantages of hybridization include adaptability and increased numbers of offspring

2) Inbreeding


- ✓ **Inbreeding:** is the process in which two closely related organisms are bred to have the desired traits and to eliminate the undesired ones in future generations.
- ✓ Inbreeding is used to create pure breeds in horses, dogs, and other animals.
- ✓ A disadvantage of inbreeding is that harmful recessive traits also can be passed on to future generations.



- ✓ Breeders can determine the genotype of the hybrid by using a test cross.
- ✓ **A test cross:** involves breeding an organism that has the unknown genotype with one homozygous recessive for the desired trait.

Unknown genotype X (hh)

- ✓ • If the parent's genotype is homozygous dominant, all the offspring will have the dominant phenotype.
- ✓ • If the parent's genotype is heterozygous, the offspring will show a 1:1 phenotypic ratio



Lesson 4:


Basic Patterns of Human Inheritance

- **A carrier:** An individual who is heterozygous for a recessive disorder.
- **Pedigree:** a diagram that traces the inheritance of a particular trait through several generations
- Inheritance of disorders in humans can be achieved by the use of a pedigree

Key to Symbols


	Normal female		Normal male
	Female who expresses the trait being studied		Male who expresses the trait being studied
	Female who is a carrier for the particular trait		Male who is a carrier for the particular trait
	Generation	Roman numerals — Generations	
—	Parents	Arabic numerals — Individuals in a certain generation	
⌐	Siblings		

Example Pedigree




Recessive Genetic Disorders

- This pedigree shows an example of a recessive genetic disorder, Tay-Sachs.
- Two unaffected parents have an affected child.
- This indicates that both parents are heterozygous and carriers for the trait. The half-filled square and circle show that both parents are carriers



Dominant Genetic Disorders

- This pedigree shows an example of a dominant genetic disorder, polydactyly.
- Affected parents can pass the gene to their children.
- Unaffected parents cannot have an affected child



Using pedigrees can help predict the possibility of disorders occurring in future offspring

أجيال المستقبل

Mrs. AYA 050 717 5602